



|             | Indiana Academic Standard for   | Indiana Academic Mathematics Standard                            | Common Core State Standard   | Differences From Previous Standards                           |  |  |
|-------------|---|--|--|---|--|--|
|             | Finite Math Mathematics – Adopted April 2014  | Adopted 2000  Process Standards                                  | for Mathematics  |   |  |  |
|             |   |  |  |   |  |  |
|             | Mathematically proficient students start by explaining to   | Connections  | Make sense of problems and persevere in solving them.  | IAS 2014 removes criteria involving a graphing calculator and |  |  |
|             | themselves the meaning of a problem and looking for entry   | Connecting mathematical concepts includes linking new ideas      | Mathematically proficient students start by explaining to  | does not distinguish between younger and older students.      |  |  |
| I.          | points to its solution. They analyze givens, constraints,   | to related ideas learned previously, helping students to see     | themselves the meaning of a problem and looking for entry  |   |  |  |
| -           | relationships, and goals. They make conjectures about the   | mathematics as a unified body of knowledge whose concepts        | points to its solution. They analyze givens, constraints,  |   |  |  |
| -           | form and meaning of the solution and plan a solution  | build upon each other. Major emphasis should be given to         | relationships, and goals. They make conjectures about the  |   |  |  |
|             | pathway, rather than simply jumping into a solution attempt.  | ideas and concepts across mathematical content areas that        | form and meaning of the solution and plan a solution pathway   |   |  |  |
|             | They consider analogous problems and try special cases and  | help students see that mathematics is a web of closely           | rather than simply jumping into a solution attempt. They   |   |  |  |
|             | simpler forms of the original problem in order to gain insight  | connected ideas (algebra, geometry, the entire number            | consider analogous problems, and try special cases and   |   |  |  |
|             | into its solution. They monitor and evaluate their progress   | system). Mathematics is also the common language of many         | simpler forms of the original problem in order to gain insight   |   |  |  |
|             | and change course if necessary. Mathematically proficient   | other disciplines (science, technology, finance, social science, | into its solution. They monitor and evaluate their progress  |   |  |  |
|             | students check their answers to problems using a different  | geography) and students should learn mathematical concepts       | and change course if necessary. Older students might,  |   |  |  |
|             |   | used in those disciplines. Finally, students should connect      | depending on the context of the problem, transform algebraic   |   |  |  |
|             | sense?" and "Is my answer reasonable?" They understand the approaches of others to solving complex problems and | their mathematical learning to appropriate real-world contexts.  | expressions or change the viewing window on their graphing calculator to get the information they need. Mathematically |   |  |  |
|             | identify correspondences between different approaches.  | contexts.  | proficient students can explain correspondences between  |   |  |  |
|             | Mathematically proficient students understand how   |  | equations, verbal descriptions, tables, and graphs or draw   |   |  |  |
|             | mathematical ideas interconnect and build on one another to   |  | diagrams of important features and relationships, graph data,  |   |  |  |
|             | produce a coherent whole.   |  | and search for regularity or trends. Younger students might  |   |  |  |
|             | produce a conferent whole.  |  | rely on using concrete objects or pictures to help   |   |  |  |
|             |   |  | conceptualize and solve a problem. Mathematically proficient   |   |  |  |
|             |   |  | students check their answers to problems using a different   |   |  |  |
|             |   |  | method, and they continually ask themselves, "Does this make   |   |  |  |
|             |   |  | sense?" They can understand the approaches of others to  |   |  |  |
|             |   |  | solving complex problems and identify correspondences  |   |  |  |
|             |   |  | between different approaches.  |   |  |  |
| ļ           |   |  |  |   |  |  |
| ļ           |   |  |  |   |  |  |
| MA.FM.PS.2: | Mathematically proficient students make sense of quantities   |  | 2 Reason abstractly and quantitatively.  | IAS 2014 is similar to common core, both expand upon IAS      |  |  |
|             | and their relationships in problem situations. They bring two   |  | Mathematically proficient students make sense of the   | 2000 by having the student decontextualize problems and       |  |  |
|             | complementary abilities to bear on problems involving   |  | quantities and their relationships in problem situations.  | develop quantitative reasoning.                               |  |  |
|             | quantitative relationships: the ability to decontextualize—to   |  | Students bring two complementary abilities to bear on  |   |  |  |
|             | abstract a given situation and represent it symbolically and  |  | problems involving quantitative relationships: the ability to  |   |  |  |
|             | manipulate the representing symbols as if they have a life of   |  | decontextualize—to abstract a given situation and represent it   |   |  |  |
|             | their own, without necessarily attending to their   |  | symbolically and manipulate the representing symbols as if   |   |  |  |
|             | referents—and the ability to contextualize, to pause as   |  | they have a life of their own, without necessarily attending to  |   |  |  |
|             | needed during the manipulation process in order to probe  |  | their referents—and the ability to contextualize, to pause as  |   |  |  |
|             | into the referents for the symbols involved. Quantitative   |  | needed during the manipulation process in order to probe   |   |  |  |
|             | reasoning entails habits of creating a coherent representation  |  | into the referents for the symbols involved. Quantitative  |   |  |  |
|             | of the problem at hand; considering the units involved;   |  | reasoning entails habits of creating a coherent representation   |   |  |  |
|             | attending to the meaning of quantities, not just how to   |  | of the problem at hand; considering the units involved;  |   |  |  |
|             | compute them; and knowing and flexibly using different  |  | attending to the meaning of quantities, not just how to  |   |  |  |
|             | properties of operations and objects.   |  | compute them; and knowing and flexibly using different   |   |  |  |
|             |   |  | properties of operations and objects.  |   |  |  |
|             |   |  |  |   |  |  |
|             |   |  |  |   |  |  |





|   | Adopted April 2014 – Standards Correlation Guide Document 5-28-2014  |   |  |  |  |  |
|---|--|---|--|--|--|--|
|   | Indiana Academic Standard for<br>Finite Math Mathematics – Adopted April 2014  | Indiana Academic Mathematics Standard<br>Adopted 2000   | Common Core State Standard<br>for Mathematics  | Differences From Previous Standards  |  |  |
| MA.FM.PS.3:<br>Construct viable<br>arguments and<br>critique the<br>reasoning of<br>others. | Mathematically proficient students understand and use stated assumptions, definitions, and previously established results in constructing arguments. They make conjectures and build a logical progression of statements to explore the truth of their conjectures. They analyze situations by breaking them into cases and recognize and use counterexamples. They organize their mathematical thinking, justify their conclusions and communicate them to others, and respond to the arguments of others. They reason inductively about data, making plausible arguments that take into account the context from which the data arose. Mathematically proficient students are also able to compare the effectiveness of two plausible arguments, distinguish correct logic or reasoning from that which is flawed, and—if there is a flaw in an argument—explain what it is. They justify whether a given statement is true always, sometimes, or never.  Mathematically proficient students participate and collaborate in a mathematics community. They listen to or read the arguments of others, decide whether they make sense, and ask useful questions to clarify or improve the arguments. | The ability to read, write, listen, ask questions, think, and communicate about math will develop and deepen students' understanding of mathematical concepts. Students should read text, data, tables, and graphs with comprehension and | 3 Construct viable arguments and critique the reasoning of others.  Mathematically proficient students understand and use stated assumptions, definitions, and previously established results in constructing arguments. They make conjectures and build a logical progression of statements to explore the truth of their conjectures. They are able to analyze situations by breaking them into cases, and can recognize and use counterexamples. They justify their conclusions, communicate them to others, and respond to the arguments of others. They reason inductively about data, making plausible arguments that take into account the context from which the data arose.  Mathematically proficient students are also able to compare the effectiveness of two plausible arguments, distinguish correct logic or reasoning from that which is flawed, and—if there is a flaw in an argument—explain what it is. Elementary students can construct arguments using concrete referents such as objects, drawings, diagrams, and actions. Such arguments can make sense and be correct, even though they are not generalized or made formal until later grades. Later, students learn to determine domains to which an argument applies. Students at all grades can listen or read the arguments of others, decide whether they make sense, and ask useful questions to clarify or improve the arguments. | , , , ,  |  |  |
| MA.FM.PS.4:<br>Model with<br>mathematics.   | Mathematically proficient students apply the mathematics they know to solve problems arising in everyday life, society, and the workplace using a variety of appropriate strategies. They create and use a variety of representations to solve problems and to organize and communicate mathematical ideas. Mathematically proficient students apply what they know and are comfortable making assumptions and approximations to simplify a complicated situation, realizing that these may need revision later. They are able to identify important quantities in a practical situation and map their relationships using such tools as diagrams, two-way tables, graphs, flowcharts and formulas. They analyze those relationships mathematically to draw conclusions. They routinely interpret their mathematical results in the context of the situation and reflect on whether the results make sense, possibly improving the model if it has not served its purpose.   | Representation The language of mathematics is expressed in words, symbols, formulas, equations, graphs, and data displays. The concept of one-fourth may be described as a quarter, , one divided by four, 0.25,                          | 4 Model with mathematics.  Mathematically proficient students can apply the mathematics they know to solve problems arising in everyday life, society, and the workplace. In early grades, this might be as simple as writing an addition equation to describe a situation. In middle grades, a student might apply proportional reasoning to plan a school event or analyze a problem in the community. By high school, a student might use geometry to solve a design problem or use a function to describe how one quantity of interest depends on another. Mathematically proficient students who can apply what they know are comfortable making assumptions and approximations to simplify a complicated situation, realizing that these may need revision later. They are able to identify important quantities in a practical situation and map their relationships using such tools as diagrams, two-way tables, graphs, flowcharts and formulas. They can analyze those relationships mathematically to draw conclusions. They routinely interpret their mathematical results in the context of the situation and reflect on whether the results make sense, possibly improving the model if it has not served its purpose.  | IAS 2014 has removed examples and does not distinguish between younger and older students. |  |  |





|  | Indiana Academic Standard for  | Indiana Academic Mathematics Standard  | Common Core State Standard  | Differences From Previous Standards  |
|--|--|--|---|--|
|  | Finite Math Mathematics – Adopted April 2014   | Adopted 2000   | for Mathematics   |  |
| MA.FM.PS.5: Use appropriate tools strategically. | Finite Math Mathematics – Adopted April 2014  Mathematically proficient students consider the available tools when solving a mathematical problem. These tools might include pencil and paper, models, a ruler, a protractor, a calculator, a spreadsheet, a computer algebra system, a statistical package, or dynamic geometry software. Mathematically proficient students are sufficiently familiar with tools appropriate for their grade or course to make sound decisions about when each of these tools might be helpful, recognizing both the insight to be gained and their limitations. Mathematically proficient students identify relevant external mathematical resources, such as digital content, and use them to pose or solve problems. They use technological tools to explore and deepen their understanding of concepts and to support the development of learning mathematics. They use technology to contribute to concept development, simulation, representation, reasoning, communication and problem solving. |  | for Mathematics  5 Use appropriate tools strategically.  Mathematically proficient students consider the available tools when solving a mathematical problem. These tools might include pencil and paper, concrete models, a ruler, a protractor, a calculator, a spreadsheet, a computer algebra system, a statistical package, or dynamic geometry software. Proficient students are sufficiently familiar with tools appropriate for their grade or course to make sound decisions about when each of these tools might be helpful, recognizing both the insight to be gained and their limitations. For example, mathematically proficient high school students analyze graphs of functions and solutions generated using a graphing calculator. They detect possible errors by strategically using estimation and other mathematical knowledge. When making mathematical models, they know that technology can enable them to visualize the results of varying assumptions, explore consequences, and compare predictions with data. Mathematically proficient students at various grade levels are able to identify relevant external mathematical resources, such as digital content located on a website, and use them to pose or solve problems. They are able to use technological tools to explore and deepen their understanding of concepts. | IAS 2014 does not distinguish between younger and older students. Both IAS 2014 and CCSS expand upon IAS 2000 by having students consider more than just graphing. |
| MA.FM.PS.6:<br>Attend to<br>precision.           | Mathematically proficient students communicate precisely to others. They use clear definitions, including correct mathematical language, in discussion with others and in their own reasoning. They state the meaning of the symbols they choose, including using the equal sign consistently and appropriately. They express solutions clearly and logically by using the appropriate mathematical terms and notation. They specify units of measure and label axes to clarify the correspondence with quantities in a problem. They calculate accurately and efficiently and check the validity of their results in the context of the problem. They express numerical answers with a degree of precision appropriate for the problem context.   | The ability to read, write, listen, ask questions, think, and communicate about math will develop and deepen students' understanding of mathematical concepts. Students should read text, data, tables, and graphs with comprehension and understanding. Their writing should be detailed and coherent, and they should use correct mathematical vocabulary. Students should write to explain answers, justify | 6 Attend to precision. Mathematically proficient students try to communicate precisely to others. They try to use clear definitions in discussion with others and in their own reasoning. They state the meaning of the symbols they choose, including using the equal sign consistently and appropriately. They are careful about specifying units of measure, and labeling axes to clarify the correspondence with quantities in a problem. They calculate accurately and efficiently, express numerical answers with a degree of precision appropriate for the problem context. In the elementary grades, students give carefully formulated explanations to each other. By the time they reach high school they have learned to examine claims and make explicit use of definitions.  | IAS 2014 does not distinguish between younger and older students.  |





|             | Indiana Academic Standard for<br>Finite Math Mathematics – Adopted April 2014 | Indiana Academic Mathematics Standard Adopted 2000 | Common Core State Standard for Mathematics  | Differences From Previous Standards                        |  |  |
|-------------|---|--|---|--|--|--|
| MA.FM.PS.7: | Mathematically proficient students look closely to discern a                  | Adopted 2000                                       | 7 Look for and make use of structure.   | IAS 2014 has removed examples and does not distinguish     |  |  |
|             | pattern or structure. They step back for an overview and shift                |  | Mathematically proficient students look closely to discern a  | between younger and older students. Both IAS 2014 and CCSS |  |  |
|             | perspective. They recognize and use properties of operations                  |  | pattern or structure. Young students, for example, might  | expand upon IAS 2000 by having students discern patterns,  |  |  |
|             | and equality. They organize and classify geometric shapes                     |  | notice that three and seven more is the same amount as  | structure, geometric figures, and composition of objects.  |  |  |
|             | based on their attributes. They see expressions, equations,                   |  | seven and three more, or they may sort a collection of shapes   |  |  |  |
|             | and geometric figures as single objects or as being composed                  |  | according to how many sides the shapes have. Later, students  |  |  |  |
|             | of several objects.   |  | will see $7 \times 8$ equals the well remembered $7 \times 5 + 7 \times 3$ , in                                       |  |  |  |
|             |   |  | preparation for learning about the distributive property. In  |  |  |  |
|             |   |  | the expression x2 + 9x + 14, older students can see the 14 as 2   |  |  |  |
|             |   |  | × 7 and the 9 as 2 + 7. They recognize the significance of an   |  |  |  |
|             |   |  | existing line in a geometric figure and can use the strategy of   |  |  |  |
|             |   |  | drawing an auxiliary line for solving problems. They also can   |  |  |  |
|             |   |  | step back for an overview and shift perspective. They can see   |  |  |  |
|             |   |  | complicated things, such as some algebraic expressions, as  |  |  |  |
|             |   |  | single objects or as being composed of several objects. For   |  |  |  |
|             |   |  | example, they can see 5 – 3(x – y)2 as 5 minus a positive   |  |  |  |
|             |   |  | number times a square and use that to realize that its value  |  |  |  |
|             |   |  | cannot be more than 5 for any real numbers x and y.   |  |  |  |
|             |   |  |   |  |  |  |
|             |   |  |   |  |  |  |
|             |   |  |   |  |  |  |
|             | Mathematically proficient students notice if calculations are                 |  | 8 Look for and express regularity in repeated reasoning.  | IAS 2014 has removed examples and does not distinguish     |  |  |
|             | repeated and look for general methods and shortcuts. They                     |  | Mathematically proficient students notice if calculations are   | between younger and older students.                        |  |  |
|             | notice regularity in mathematical problems and their work to                  |  | repeated, and look both for general methods and for   |  |  |  |
|             | create a rule or formula. Mathematically proficient students                  |  | shortcuts. Upper elementary students might notice when  |  |  |  |
|             | maintain oversight of the process, while attending to the                     |  | dividing 25 by 11 that they are repeating the same  |  |  |  |
|             | details as they solve a problem. They continually evaluate the                |  | calculations over and over again, and conclude they have a  |  |  |  |
|             | reasonableness of their intermediate results.                                 |  | repeating decimal. By paying attention to the calculation of  |  |  |  |
|             |   |  | slope as they repeatedly check whether points are on the line   |  |  |  |
|             |   |  | through (1, 2) with slope 3, middle school students might   |  |  |  |
|             |   |  | abstract the equation $(y-2)/(x-1) = 3$ . Noticing the regularity in the way terms cancel when expanding $(x-1)(x+1)$ |  |  |  |
|             |   |  | 1), $(x - 1)(x^2 + x + 1)$ , and $(x - 1)(x^3 + x^2 + x + 1)$ might lead  |  |  |  |
|             |   |  | them to the general formula for the sum of a geometric  |  |  |  |
|             |   |  | series. As they work to solve a problem, mathematically   |  |  |  |
|             |   |  | proficient students maintain oversight of the process, while  |  |  |  |
|             |   |  | attending to the details. They continually evaluate the   |  |  |  |
|             |   |  | reasonableness of their intermediate results.   |  |  |  |
|             |   |  |   |  |  |  |
|             |   |  |   |  |  |  |
|             |   |  |   |  |  |  |
|             | Sets  |  |   |  |  |  |
| MA.FM.S.1:  | FM.S.1: Know and use the concepts of sets, elements, and                      |  |   | This standard is NEW                                       |  |  |
|             | subsets.  |  |   |  |  |  |
|             | FM.S.2: Perform operations on sets (union, intersection,                      |  |   | This standard is NEW                                       |  |  |
|             | complement, cross product) and illustrate using Venn                          |  |   |  |  |  |
|             | diagrams.   |  |   |  |  |  |
|             |   | Matrices   |   |  |  |  |





|                    | Indiana Academic Standard for                                    | Indiana Academic Mathematics Standard                     | Common Core State Standard                                       | Differences From Previous Standards                             |
|--------------------|--|---|--|---|
|                    | Finite Math Mathematics – Adopted April 2014                     | Adopted 2000  | for Mathematics  | LACORAGO LI II A GOCCO CI LI I                                  |
| MA.FM.MA.1:        | FM.MA.1: Add, subtract, and multiply matrices of appropriate     |   | N-VM.7 Multiply matrices by scalars to produce new matrices,     | IAS2014 Combine the two CCSS Standards                          |
|                    | dimensions (i.e. up to 3x3 matrices). Multiply matrices by       |   | e.g., as when all of the payoffs in a game are doubled.          |   |
|                    | scalars. Calculate row and column sums for matrix equations.     |   |  |   |
|                    |  |   | N-VM.8 Add, subtract, and multiply matrices of appropriate       |   |
|                    |  |   | dimensions.  |   |
| MA.FM.MA.2:        | FM.MA.2: Understand that the zero and identity matrices play     |   | N-VM.10 Understand that the zero and identity matrices play      | IAS2014 Splits the CCSS standard into two standards             |
|                    | a role in matrix addition and multiplication similar to the role |   | a role in matrix addition and multiplication similar to the role |   |
|                    | of 0 and 1 in the real numbers.                                  |   | of 0 and 1 in the real numbers. The determinant of a square      |   |
|                    |  |   | matrix is nonzero if and only if the matrix has a multiplicative |   |
|                    |  |   | in-verse.  |   |
| MA.FM.MA.3:        | FM.MA.3: Understand the determinant of a square matrix is        |   | N-VM.10 Understand that the zero and identity matrices play      | IAS2014 Splits the CCSS standard into two standards             |
| IVIA.I WI.IVIA.S.  | nonzero if and only if the matrix has a multiplicative inverse.  |   | a role in matrix addition and multiplication similar to the role | 17/32014 Spires the cess standard into two standards            |
|                    | nonzero il una omy il che machi has a marapheative inverse.      |   | of 0 and 1 in the real numbers. The determinant of a square      |   |
|                    |  |   | matrix is nonzero if and only if the matrix has a multiplicative |   |
|                    |  |   | in-verse.  |   |
|                    |  |   | ill-verse.   |   |
| MA.FM.MA.4:        |  | DM.2.2 Use matrix operations to solve problems.           |  | IAS2014 Combines the three IAS2000 standards into one to        |
|                    | reduction techniques and properties of matrix multiplication,    |   |  | teach the concept in context and not isolated individual skills |
|                    | including identity and inverse matrices.                         | DM.2.3 Use row-reduction techniques to solve problems.    |  |   |
|                    |  |   |  |   |
|                    |  | DM.2.4 Use the inverse of a matrix to solve problems.     |  |   |
| MA.FM.MA.5:        | FM.MA.5: Use matrices to solve real-world problems that can      | DM.2.1 Use matrices to organize and store data.           |  | IAS2014 Relates matrices to real-world problems and uses        |
|                    | be modeled by a system of equations (i.e. up to 3 linear         |   |  | technology to solve these problems                              |
|                    | equations) in two or three variables using technology.           |   |  |   |
| MA.FM.MA.6:        | FM.MA.6: Build and use matrix representations to model           |   |  | This standard is NEW  |
| IVIA.I IVI.IVIA.O. | polygons, transformations, and computer animations.              |   |  | This standard is NEW  |
|                    | P-707  |   |  |   |
|                    |  | Networks  |  |   |
| MA.FM.N.1:         |  | DM.1.1 Use networks, traceable paths, tree diagrams, Venn |  | The IAS 2014 is identical to the IAS 2000 and the CCSS did not  |
|                    | diagrams, and other pictorial representations to find the        | diagrams, and other pictorial representations to find the |  | have standards that use networks                                |
|                    | number of outcomes in a problem situation.                       | number of outcomes in a problem situation.                |  |   |
| MA.FM.N.2:         | · · · · · · · · · · · · · · · · · · ·                            | DM.4.4 Use minimal spanning trees to solve problems.      |  | IAS2014 Goes in to more detail including real-world problems    |
|                    | contexts by finding minimal spanning trees, shortest paths,      |   |  | and Hamiltonian paths   |
|                    | and Hamiltonian paths including real-world problems.             |   |  |   |
| MA.FM.N.3:         | FM.N.3: Use critical-path analysis in the context of scheduling  | DM.4.2 Use critical path analysis to solve scheduling     |  | The IAS 2014 is identical to the IAS 2000 and the CCSS did not  |
|                    | problems and interpret the results.                              | problems.   |  | have standards that use networks                                |
| MA.FM.N.4:         | FM.N.4: Construct and interpret directed and undirected          | DM.1.1 Use networks, traceable paths, tree diagrams, Venn |  | The IAS 2014 is identical to the IAS 2000 and the CCSS did not  |
|                    | graphs, decision trees, networks, and flow charts that model     | diagrams, and other pictorial representations to find the |  | have standards that use networks                                |
|                    | real-world contexts and problems.                                | number of outcomes in a problem situation.                |  |   |
| MA.FM.N.5:         | · ·  | DM.4.3 Use graph coloring techniques to solve problems.   |  | The IAS 2014 is identical to the IAS 2000 and the CCSS did not  |
|                    |  |   |  | have standards that use networks                                |
| MA.FM.N.6:         | FM.N.6: Construct vertex-edge graph models involving             |   |  | This standard is NEW  |
|                    | relationships among a finite number of elements. Describe a      |   |  |   |
|                    | vertex-edge graph using an adjacency matrix. Use vertex-         |   |  |   |
|                    | edge graph models to solve problems in a variety of real-        |   |  |   |
|                    | world settings.  |   |  |   |
|                    | -  | Optimization  |  |   |





|                  | Indiana Academic Standard for                                   | Indiana Academic Mathematics Standard                       | Common Cara State Standard                                      | Differences From Previous Standards                            |
|------------------|---|---|---|--|
|                  | Finite Math Mathematics – Adopted April 2014                    | Adopted 2000  | Common Core State Standard for Mathematics                      | Differences From Previous Standards                            |
| MA.FM.O.1:       | FM.O.1: Use bin-packing techniques to solve problems of         | DM.4.5 Use bin-packing techniques to solve problems.        |   | The IAS 2014 is identical to the IAS 2000 and the CCSS did not |
|                  | optimizing resource usage.                                      |   |   | have standards that use optimization                           |
| MA.FM.O.2:       | FM.O.2: Use geometric and algebraic techniques to solve         | DM.6.1 Use geometric techniques to solve optimization       |   | The IAS 2014 is identical to the IAS 2000 and the CCSS did not |
|                  | optimization problems with and without technology.              | problems.   |   | have Calculus Standards  |
| MA.FM.O.3:       | FM.O.3: Use the Simplex method to solve optimization            | DM.6.2 Use the Simplex method to solve optimization         |   | The IAS 2014 is identical to the IAS 2000 and the CCSS did not |
|                  | problems with and without technology.                           | problems with and without technology.                       |   | have Calculus Standards  |
|                  |   | Probability   |   |  |
| MA.FM.P.1:       | FM.P.1: Use Markov chains to solve problems with and            | DM.2.5 Use Markov chains to solve problems.                 |   | IAS2014 Has students use technology when solving problems      |
|                  | without technology.   |   |   | with Markov chains   |
| MA.FM.P.2:       | FM.P.2: Understand and use the addition rule to calculate       |   |   | This standard is NEW   |
|                  | probabilities for mutually exclusive and non-mutually           |   |   |  |
|                  | exclusive events.   |   |   |  |
| MA.FM.P.3:       | FM.P.3: Understand and use the multiplication rule to           |   | S-CP.2 Understand that two events A and B are independent if    | · ·  |
|                  | calculate probabilities for independent and dependent events.   |   | the probability of A and B occurring together is the product of | probabilities  |
|                  | Understand that two events A and B are independent if the       |   | their probabilities, and use this characterization to determine |  |
|                  | probability of A and B occurring together is the product of     |   | if they are independent.  |  |
|                  | their probabilities, and use this characterization to determine |   |   |  |
|                  | if they are independent.  |   |   |  |
| MA.FM.P.4:       | FM.P.4: Understand the multiplication counting principle,       |   | S-CP.9 Use permutations and combinations to compute             | IAS2014 Has students use technology and simulations to solve   |
|                  | permutations, and combinations; use them to solve real-         |   | probabilities of compound events and solve problems.            | counting and probability problems                              |
|                  | world problems. Use simulations with and without technology     |   |   |  |
|                  | to solve counting and probability problems.                     |   |   |  |
|                  | 7,7   |   |   |  |
| MA.FM.P.5:       | FM.P.5: Calculate the probabilities of complementary events.    | PS.2.4 Calculate the probabilities of complementary events. |   | The IAS2014 is the same as the IAS2000                         |
| MA.FM.P.6:       | FM.P.6: Calculate the expected value of a random variable;      |   |   | This standard is NEW   |
|                  | interpret it as the mean of the probability distribution.       |   |   |  |
| MA.FM.P.7:       | FM.P.7: Analyze decisions and strategies using probability      |   |   | This standard is NEW   |
|                  | concepts. Analyze probabilities to interpret odds and risk of   |   |   |  |
|                  | events.   |   |   |  |
| MA.FM.P.8:       | FM.P.8: Describe events as subsets of a sample space (the set   |   | S-CP.1 Describe events as subsets of a sample space (the set    | The IAS2014 is the same as the CCSS                            |
|                  | of outcomes) using characteristics (or categories) of the       |   | of outcomes) using characteristics (or categories) of the       |  |
|                  | outcomes, or as unions, intersections, or complements of        |   | outcomes, or as unions, intersections, or complements of        |  |
|                  | other events.   |   | other events ("or," "and," "not").                              |  |
| MA.FM.P.9:       | FM.P.9: Develop a probability distribution for a random         |   | S-MD.3 Develop a probability distribution for a random          | The IAS2014 is the same as the CCSS without the specific       |
| IVIA.I IVI.I .J. | variable defined for a sample space in which theoretical        |   | variable defined for a sample space in which theoretical        | example  |
|                  | probabilities can be calculated; find the expected value.       |   | probabilities can be calculated; find the expected value. For   | example  |
|                  | probabilities can be calculated, find the expected value.       |   | example, find the theoretical probability distribution for the  |  |
|                  |   |   | number of correct answers obtained by guessing on all five      |  |
|                  |   |   | questions of a multiple-choice test where each question has     |  |
|                  |   |   | four choices, and find the expected grade under various         |  |
|                  |   |   | grading schemes.  |  |
|                  |   |   | J J   |  |
| MA.FM.P.10:      | FM.P.10: Use the relative frequency of a specified outcome of   |   |   | This standard is NEW   |
|                  | an event to estimate the probability of the outcome and apply   |   |   |  |
|                  | the law of large numbers in simple examples.                    |   |   |  |
|                  |   |   |   |  |





| Indiana Academic Standard for<br>Finite Math Mathematics – Adopted April 2014 | Indiana Academic Mathematics Standard Adopted 2000                   | Common Core State Standard for Mathematics  | Differences From Previous Standards |
|---|--|---|-------------------------------------|
|   | Unaligned<br>Indiana Academic Mathematics Standard                   | Unaligned<br>Common Core State Standard   |                                     |
|   | Adopted 2000   | for Mathematics   |                                     |
|   | DM.1.4 Use counting techniques to solve probability problems.        | N-VM.6 Use matrices to represent and manipulate data, e.g., to represent payoffs or incidence relationships in a network.   |                                     |
|   | DM.1.5 Use simulations to solve counting and probability problems.   | N-VM.9 Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a commutative operation, but still satisfies the associative and distributive properties.  |                                     |
|   | DM.3.2 Use finite differences to solve problems.                     | A-APR.5 Know and apply the Binomial Theorem for the expansion of (x + y)n in powers of x and y for a positive integer n, where x and y are any numbers, with coefficients determined for example by Pascal's Triangle.  |                                     |
|   | DM.4.1 Use graphs consisting of vertices and edges to model          | A-REI.8 Represent a system of linear equations as a single  |                                     |
|   | a problem situation.   | matrix equation in a vector variable.   |                                     |
|   | DM.5.3 Use fair division techniques to divide continuous             | A-REI.9 Find the inverse of a matrix if it exists and use it to   |                                     |
|   | objects.   | solve systems of linear equations (using technology for matrices of dimension 3 x 3 or greater).  |                                     |
|   | DM.5.4 Use fair division techniques to solve apportionment problems. | S-CP.8 Apply the general Multiplication Rule in a uniform probability model, P(A and B) = P(A)P(B A) = P(B)P(A B), and interpret the answer in terms of the model.  |                                     |
|   | DM.7.1 Use game theory to solve strictly determined games.           | S-MD.5 Weigh the possible outcomes of a decision by assigning probabilities to payoff values and finding expected values.   |                                     |
|   | DM.7.2 Use game theory to solve non-strictly determined games.       | S-MD.5.a Weigh the possible outcomes of a decision by assigning probabilities to payoff values and finding expected values. Find the expected payoff for a game of chance. For example, find the expected winnings from a state lottery ticket or a game at a fast-food restaurant.   |                                     |
|   |  | S-MD.5.b Weigh the possible outcomes of a decision by assigning probabilities to payoff values and finding expected values. Evaluate and compare strategies on the basis of expected values. For example, compare a high-deductible versus a low-deductible automobile insurance policy using various, but reasonable, chances of having a minor or a major accident. |                                     |
|   |  | S-MD.6 Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator).   |                                     |





| Indiana Academic Standard for                | Indiana Academic Mathematics Standard | Common Core State Standard | Differences From Previous Standards |
|--|---------------------------------------|----------------------------|-------------------------------------|
| Finite Math Mathematics – Adopted April 2014 | Adopted 2000                          | for Mathematics            |                                     |